

Lead Eyeglasses/Goggles

- Designed for clear, safe and comfortable vision.
- Choice of lenses, plain, prescription
 and prescription with bifocal lenses.
- Wide selection of frame styles
- Can eliminate apprx. 90% of scatter radiation from entering the yes
 - Exceptional protection combined with lightweight comfort and quality.

WRAP-AROUND Cat. No. GL3500

The molded wrap features provide maximum comfort with a full saddle bridge to distribute weight evenly over the nose while providing excellent peripheral vision with leaded glass side shields.

Lead equiv. 0.75 (+/-0.05) front and sides shields leaded glass. Color: Tortoise. Weight: 80 grams. Frame Material: Durable Nylon. Available with prescription.

Wrap-Around Fit-Over #GL3530 (large frame) #GL3531 (medium frame)

An oversized wrap around that fits over existing prescription glasses or as a goggle for splash protection. Available in two sizes Large Frame and Medium Frame. Lead Equiv Front: 0.75mm (+/-0.05) Lead Equiv Side Shields: 0.75mm (+/-0.05) Color: Tortoise or Matt Black . Weight: 104 grams. Frame Material: Durable Nylon







Metalite #GL3523

Steel base metal with bronze electroplate. 0.50mm leaded side shields that create a seal to the front lenses for necessary protection from oblique exposure. Lead Equiv. front: 0.75mm (+/-0.05) lead glass Side: 0.50mm +/-0.1) lead sheet Color: Bronze. Available with prescription



Metal Frame NO side shields Catalog # GL3504

Constructed of optical steel base metal with gold electroplate, the flex-temple spring hinge design provides enhanced durability. Includes adjustable non-slip silicon nose pads. Lead equiv.: 0.75mm (+/-0.05) leaded glass. Frame Material: Optical Steel. Color: Gold. Weight: 68 grams.

Available with prescription

Metal Frame with side shields Catalog #GL3506

Lead Equiv Front: 0.75mm (+/-0.05) leaded glass. Lead Equiv Side Shields: 0.50mm (+/-0.1) lead sheet. Frame Material: Optical Steel. Color: Gold. Weight: 72 grams. Available with prescription.



website: www.xraymdm.com

Lead Eyeglasses/Goggles



Splash Goggles # GL3519 front protection only #GL3519S Front & side protection Lead equiv. 0.75 front (+/-0.05) 0.30mm sides (+/-0.05) Color: clear. Weight: #GL3519 115 grams. #GL3519S 143 grams Frame Material: Poly-carbonate front, surrounding vinyl goggle) fits over



existing glasses

Goggles # GL3501

Large design goggle with non slip silicon adjustable strap bridge providing more comfortable, even weight distribution on the nose. Adjustable head strap.

Lead equiv.: 0.75mm (+/- 0.05) leaded glass front. Sides: 0.30mm leaded acrylic Color: Black. Frame Material: Optical Steel. Weight: 100 grams Available with prescription





Ultralite #GL3520

Constructed of lightweight nylon. The curved front and temples with rubber tips, assures a close secure fit.



Colors available: Cobalt Blue, Black, Taupe or Silver. Weight: 58 grams Lead Equiv Front: 0.75mm (+/-0.05) leaded glass Frame Material: Durable Nylon. Available with prescription



Ultralite-Flex-Temple #GL3525

Designed for medium to small facial structures. Comes with Anti-Reflective coating. Nonprescription only. Weight: 51 grams Lead Equiv Front: 0.75mm (+/-0.05) leaded glass. Frame Material: Durable Nylon Available In: non-prescription only, with UltraClear Anti-Reflective coating. AVAILABLE COLORS: Silver, Black, Red or Blue

Ultralite-Flex Temple-Small #GL3529

Designed for smaller faces, comes with UltraSoft Nose Pads for maximum comfort and fit on narrow or petite noses. Comes with Anti-Reflective coating. Non-prescription only. Weight: 51 grams. Frame Material: Durable Nylon. Lead Equiv Front: 0.75mm (+/-0.05) leaded glass Available In: non-prescription only, with UltraClear Anti-Reflective coating. AVAILABLE COLORS: Silver, Black, Red or Blue



800-544-4743 Tel. (909) 390-9313 Fax (909) 390-9061

website: www.xraymdm.com

Lead Eyeglasses/Goggles/Lead Masks



Full View Goggle #GL3512-N without side shield. #GL3512 with side shields.

A soft vinyl goggle with splash protection due to its contoured facial fit The mask easily fits over existing glasses providing a wide field of vision. **Model GL3512 with side shields** for increased scatter radiation protection.

Lead Equiv Front: 0.75mm (+/-0.05) leaded glass. Lead Equiv Side Shields: 0.30mm leaded acrylic.

Color: Gray A soft vinyl goggle. Weight: 106 grams.

Frame Material: Vinyl polycarbonate, cellulose proprionate

Lead Masks (Lead Face Shields)

FULL PANORAMA MASK Cat # GL3513: The Full Panorama Mask consists of a Radiation Protective Lead Impregnated Acrylic Shield that is suspended from an adjustable headpiece. The stationary acrylic shield extends from a headpiece brow connector for a length of 8 inches from top to bottom in front of the entire face. A support strap saddles the crown of the head while connecting at a 90° angle to an adjustable headband that surrounds the head circumference from brow to back. The circumference portion of the headband has a dial adjustable strap in the rear to increase or decrease the hat size for a comfortable snug fit

- Protection: 0.1mm Leaded Acrylic. Material: Acrylic/Nylon. Weight: 395 grams.
- Wipe clean with a soft cloth. Abrasive materials may scratch front lens.
- Can not be sterilized with high temperature or high pressure.

FULL PROTECTIVE MASK Cat # GL3514: The Full Protective mask consists of a Radiation Protective Lead Impregnated Acrylic Shield that is suspended from as adjustable headpiece. The stationary acrylic shield extends from a headpiece brow connector for a length of 7 inches from top to bottom in front of the entire face. A support strap saddles the crown of the head while connecting at a 90° angle to an adjustable headband that surrounds the head circumference from brow to back. The circumference portion of the headband has a Velcro adjustable strap in the rear to increase or decrease the hat size for a comfortable snug fit.

- Protection: 0.35mm Leaded Acrylic. Material: Acrylic/Nylon. Weight: 900 grams.
- Wipe clean with a soft cloth. Abrasive materials may scratch front lens.
- Can not be sterilized with high temperature or high pressure.







760 S. Rochester Ave. Ste. "C" Ontario, CA 91761 U.S.A.

